

# CERTIFICATE OF CONSTANCY OF PERFORMANCE

0751-CPR.2-010.0-07

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

## Factory made mineralwool (MW) products (details cf. annex)

placed on the market by

**DEUTSCHE ROCKWOOL**  
**Mineralwoll GmbH & Co. OHG**  
Rockwool Straße 37-41  
45966 Gladbeck  
Germany

and produced in the factory

**ROCKWOOL, a.s.**  
**Cihelni 769**  
735 31 Bohumín 3  
Czech Republic

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard

**EN 14303:2009+A1:2013**

under system 1 are applied and that

**the essential characteristics of reaction to fire for the products fulfil all the prescribed requirements set out above**

This certificate was first issued on 29.01.2014 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard (but no longer than 18.11.2016), used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly

Gräfelfing, 19.11.2015



Head of Certification Body

*W. Albrecht*  
Dipl.-Ing. (FH) Wolfgang Albrecht

A publication of extracts or a referring to the Certificate of Constancy of Performance and its annex requires the prior written approval of FIW München.

Forschungsinstitut für Wärmeschutz e. V. München

Annex to Certificate of Constancy of Performance: 0751-CPR.2-010.0-07

Factory: ROCKWOOL, a.s., Cihelní 769, 735 31 Bohumín 3, Czech Republic

Construction product(s): Factory made mineral wool (MW) products according to EN 14303:2009+A1:2013

Intended use: Thermal insulation products for building equipment and industrial installations

Level(s) or class(es) reaction to fire: for uses subject to regulations on reaction to fire A2L. Products for which a clearly identifiable stage in the production process results in an improvement of the classification by limiting of organic material.

Attestation of conformity system: 1

No.	Form	Type	Description	Classification	Range	Reaction to fire EN 13501-1	
						max. organic content	Report. No
1	Pipe section	Rockwool 800	Non-combustible mineral wool circular pipe section cover with reinforced aluminium foil Production Line: BOH2 CIR3	A2L-s1,d0	Density 90 - 150 kg/m <sup>3</sup> Wall thickness > 20 mm	3,0 mass% and 4,2 kg/m <sup>3</sup>	1 230010154-4

Detail information about the insulation products are given in the classification reports

Gräfelting 19.11.2015



Dr. phil.-Ing. (FH) Wolfgang Albrecht