


Geberit Mapress Stainless Steel bend



Example image



Application purposes

- For cold and hot potable water
- For heating water
- For cooling water without antifreeze agent
- For cooling water with antifreeze agent
- For remote network heating water ≤ 120 °C
- For saturated steam ≤ 120 °C
- For service water
- For treated water
- For rainwater with a pH value of > 6.0
- For grey and black water with pH value > 6.0
- For extinguishing water (wet)
- For sprinklers (wet)
- For chemicals and technical liquids
- For compressed air (oil purity class 0–3)
- For negative pressure

- For inert gases (e.g. nitrogen)
- For industrial gases (e.g. acetylene, shielding gases)
- For technical building systems, industry and shipbuilding
- Application overview – Geberit Mapress Stainless Steel for liquid media
- Application overview – Geberit Mapress Stainless Steel for gaseous media

Characteristics

- Pressing indicator
- Leaky if unpressed
- Seal ring made of CIIR, black
- Pressing socket with transparent protection plug

Technical data

Product material | CrNiMo steel 1.4401 (EN 10088)

Art. no.	DN	d, ø	arc	L	Z
36108	65	76.1 mm	15 °	7.5 cm	2.2 cm
36109	80	88.9 mm	15 °	8.5 cm	2.5 cm
30601	10	12 mm	45 °	3.2 cm	1.5 cm
30101	10	12 mm	90 °	4.2 cm	2.5 cm
36121	12	15 mm	30 °	3.3 cm	1.3 cm
30602	12	15 mm	45 °	3.6 cm	1.6 cm
36161	12	15 mm	60 °	4 cm	2 cm
30102	12	15 mm	90 °	4.9 cm	2.9 cm
36101	12	15 mm	15 °	3 cm	1 cm
36128	65	76.1 mm	30 °	8.8 cm	3.5 cm
36129	80	88.9 mm	30 °	10.1 cm	4.1 cm
30603	15	18 mm	45 °	3.7 cm	1.7 cm
30103	15	18 mm	90 °	5.3 cm	3.3 cm
36103	20	22 mm	15 °	3.3 cm	1.2 cm
36123	20	22 mm	30 °	3.7 cm	1.6 cm
30604	20	22 mm	45 °	4.2 cm	2.1 cm
36163	20	22 mm	60 °	4.7 cm	2.6 cm
30104	20	22 mm	90 °	6.1 cm	4 cm
32609	65	76.1 mm	45 °	10.3 cm	5 cm
36104	25	28 mm	15 °	3.6 cm	1.3 cm
36124	25	28 mm	30 °	4.1 cm	1.8 cm
30605	25	28 mm	45 °	4.8 cm	2.5 cm
32610	80	88.9 mm	45 °	11.7 cm	5.7 cm
36164	25	28 mm	60 °	5.4 cm	3.1 cm

Art. no.	DN	d, ø	arc	L	Z
30105	25	28 mm	90 °	7.2 cm	4.9 cm
36105	32	35 mm	15 °	3.2 cm	0.6 cm
36125	32	35 mm	30 °	3.7 cm	1.1 cm
32606	32	35 mm	45 °	4.3 cm	1.7 cm
36165	32	35 mm	60 °	5 cm	2.4 cm
31106	32	35 mm	90 °	6.8 cm	4.2 cm
36168	65	76.1 mm	60 °	11.7 cm	6.4 cm
36169	80	88.9 mm	60 °	13.6 cm	7.6 cm
36106	40	42 mm	15 °	3.7 cm	0.7 cm
36126	40	42 mm	30 °	4.4 cm	1.4 cm
32607	40	42 mm	45 °	5.1 cm	2.1 cm
36166	40	42 mm	60 °	5.9 cm	2.9 cm
31107	40	42 mm	90 °	8 cm	5 cm
31109	65	76.1 mm	90 °	15.9 cm	10.6 cm
31110	80	88.9 mm	90 °	18.5 cm	12.5 cm
36107	50	54 mm	15 °	4.4 cm	0.9 cm
36127	50	54 mm	30 °	5.2 cm	1.7 cm
32608	50	54 mm	45 °	6.2 cm	2.7 cm
36167	50	54 mm	60 °	7.2 cm	3.7 cm
31108	50	54 mm	90 °	10 cm	6.5 cm
36110	100	108 mm	15 °	10.3 cm	2.8 cm
36130	100	108 mm	30 °	12.2 cm	4.7 cm
32611	100	108 mm	45 °	14.3 cm	6.8 cm
36170	100	108 mm	60 °	16.6 cm	9.1 cm
31111	100	108 mm	90 °	23 cm	15.5 cm



- In 2021, the dimensions of the aforementioned articles with dimensions d28 will be modified. The new dimensions are listed in the overview "Dimensional changes for Geberit Mapress Stainless Steel 2021"