


Geberit Mapress Stainless Steel adapter with male thread



Example image



Application purposes

- For cold and hot potable water
- For heating water
- For cooling water without antifreeze agent
- For cooling water with antifreeze agent
- For remote network heating water $\leq 120\text{ }^{\circ}\text{C}$
- For saturated steam $\leq 120\text{ }^{\circ}\text{C}$
- For service water
- For treated water
- For rainwater with a pH value of > 6.0
- For grey and black water with pH value > 6.0
- For extinguishing water (wet)
- For sprinklers (wet)
- For chemicals and technical liquids
- For compressed air (oil purity class 0–3)
- For negative pressure

- For inert gases (e.g. nitrogen)
- For industrial gases (e.g. acetylene, shielding gases)
- For technical building systems, industry and shipbuilding
- Application overview – Geberit Mapress Stainless Steel for liquid media
- Application overview – Geberit Mapress Stainless Steel for gaseous media

Characteristics

- Pressing indicator
- Leaky if unpressed
- Seal ring made of CIIR, black
- Pressing socket with transparent protection plug

Technical data

Product material | CrNiMo steel 1.4401 (EN 10088)

Art. no.	DN	d, \varnothing	R	L	H
33017	10	12 mm	3/8 "	3.2 cm	1.8 cm
33009	10 / 15	12 mm	1/2 "	3.6 cm	1.9 cm
31726	12 / 10	15 mm	3/8 "	3.8 cm	1.8 cm
31703	12 / 15	15 mm	1/2 "	4.1 cm	2.1 cm
31714	12 / 20	15 mm	3/4 "	4.3 cm	2.3 cm
31704	15	18 mm	1/2 "	4.2 cm	2.2 cm
31705	15 / 20	18 mm	3/4 "	4.4 cm	2.4 cm
31715	20 / 15	22 mm	1/2 "	4.2 cm	2.1 cm
31707	20	22 mm	3/4 "	4.4 cm	2.3 cm
31716	20 / 25	22 mm	1 "	4.6 cm	2.5 cm
31717	25 / 20	28 mm	3/4 "	4.6 cm	2.3 cm
31708	25	28 mm	1 "	4.8 cm	2.3 cm
31718	25 / 32	28 mm	1 1/4 "	4.8 cm	2.5 cm
31719	32 / 25	35 mm	1 "	5.1 cm	2.5 cm
31709	32	35 mm	1 1/4 "	5.3 cm	2.7 cm
31720	32 / 40	35 mm	1 1/2 "	5.3 cm	2.7 cm
31721	40 / 32	42 mm	1 1/4 "	5.7 cm	2.7 cm
31710	40	42 mm	1 1/2 "	5.7 cm	2.7 cm
31722	50 / 40	54 mm	1 1/2 "	8.3 cm	4.8 cm
31711	50	54 mm	2 "	8.9 cm	5.4 cm
31713	65	76.1 mm	2 1/2 "	12.3 cm	7 cm
31724	80	88.9 mm	3 "	13.7 cm	7.7 cm



-
- Adapters with NPT thread upon request