



## **TECE** push plates

The complete range

# Contents



TECEsquare

Page 4–11



TECEloop

Page 12–21



TECEplanus

Page 22–25



TECEambia

Page 26–29



TECEbase

Page 30–31



Flush handles

Page 32–33

Insert chute for cleaning tabs

Page 34–35

The 8 cm concealed cistern

Page 36–37

There's a system behind it –  
flushing technology from TECE.

Page 38

The technology behind ...

Page 40

There's a system behind it – flushing technology from TECE.


A collection of exclusive push plates only for the TECE cisterns. A broad range serves all private and facility requirements. With fronts made of glass or stainless steel, the TECE push plates also enhance the high-quality bathroom.



There's a system behind it:  
Every TECE push plate fits to every TECE  
universal cistern for front or top actuation.

Elegance from pure stainless steel.


TECEsquare metal – with extremely flat cover




With its extremely flat cover, the push plate can be fully integrated in the bathroom architecture. The function is self-explanatory – one large button for full flush and a smaller one for reduced flush.

Installation in the wall is achieved with a special installation frame. Only the 2 mm thick, extremely flat stainless steel plate remains visible.

TECESquare metal – with extremely flat cover



TECESquare metal with abrasion-resistant protective layer against fingerprints.



- TECESquare toilet push plate made of metal for TECE cisterns**  
With two spring-mounted actuation rocker buttons for front or top actuation. Dimensions 240 x 170 x 2 mm
- |                           |           |
|---------------------------|-----------|
| 1 Brushed stainless steel | 9 240 810 |
| 2 Bright chrome           | 9 240 811 |
| 3 White                   | 9 240 812 |

Installation only in combination with the toilet installation frame for flush-mounted installation (Order No. 9 240 647), please order separately!

- TECESquare urinal push plate made of metal**  
With spring-mounted actuation rocker button for TECE pressure flushing valve housing. Including flush valve cartridge. Dimensions 124 x 144 x 2 mm
- |                           |           |
|---------------------------|-----------|
| 4 Brushed stainless steel | 9 242 810 |
| 5 Bright chrome           | 9 242 811 |
| 6 White                   | 9 242 812 |

Installation only in combination with the urinal installation frame for flush-mounted installation (Order No. 9 242 647), please order separately!

TECESquare metal – nominated for the Germany Design Prize 2010 and 2011 and honoured with the Design Plus prize and the red dot design award 2010.




DESIGN PLUS



reddot design award winner 2010

The toilet/urinal installation frame **is required** for installation of TECESquare **metal**.



## Glass in the bathroom: timeless and precious.

With a minimalist form, the TECEsquare glass push plate focuses on the aesthetic impact of the material. The function is self-explanatory – one large button for full flush and a smaller one for reduced flush. The plates are fixed to the wall in the conventional way or flush-mounted with a special installation frame.




## TECEsquare glass – with the option of flush-mounted installation



Just like the toilet push plate, TECE also offers the urinal push plate in glass versions. There are fronts that match each toilet push plate made of white, green or black glass and they can be combined with any button colours. Using the mounting frame, the glass push plates can be mounted so that they are completely flush with the wall.

TECEsquare glass – with the option of flush-mounted installation



**Toilet push plates made of glass for TECE cisterns**  
Suitable for flush-mounted installation.  
For front or top actuation.  
Dimensions 220 x 150 x 11 mm


1	Glass white, buttons white	9 240 800
2	Glass white, buttons brushed stainless steel	9 240 801
3	Glass white, buttons bright chrome	9 240 802
4	Glass green, buttons white	9 240 803
5	Glass green, buttons brushed stainless steel	9 240 804
6	Glass green, buttons bright chrome	9 240 805
7	Glass black, buttons brushed stainless steel	9 240 806
8	Glass black, buttons bright chrome	9 240 807
9	Glass black, buttons gold	9 240 808
10	Glass black, buttons black	9 240 809




**Urinal push plates made of glass for TECE pressure flushing valve housing.**  
Including flush valve cartridge.  
Dimensions 104 x 124 x 11 mm

11	Glass white, buttons white	9 242 800
12	Glass white, buttons brushed stainless steel	9 242 801
13	Glass white, buttons bright chrome	9 242 802
14	Glass green, buttons white	9 242 803
15	Glass green, buttons brushed stainless steel	9 242 804
16	Glass green, buttons bright chrome	9 242 805
17	Glass black, buttons brushed stainless steel	9 242 806
18	Glass black, buttons bright chrome	9 242 807
19	Glass black, buttons gold	9 242 808
20	Glass black, buttons black	9 242 809

Installation options for the TECEsquare glass push plate







Flush installed – as though it were part of the wall.


TECEloop push plates for dual flush system made of glass are reduced to a minimum in their formal appearance.

The optional flush-mounted installation of the glass flush panels is an outstanding feature of TECEloop. Using the installation set, mounting is as easy as it is precise.

**TECE**loop glass –  
with the option of flush-mounted installation



TECEloop glass –  
with the option of flush-mounted installation




- TECEloop toilet push plates glass**  
Toilet push plate made of glass for TECE cisterns for front or top activation.  
Dimensions 220 x 150 x 11 mm
- |                                      |           |
|--------------------------------------|-----------|
| 1 Glass white, buttons white         | 9 240 650 |
| 2 Glass white, buttons matte chrome  | 9 240 659 |
| 3 Glass white, buttons bright chrome | 9 240 660 |
| 4 Glass green, buttons white         | 9 240 651 |
| 5 Glass green, buttons matte chrome  | 9 240 652 |
| 6 Glass green, buttons bright chrome | 9 240 653 |
| 7 Glass black, buttons white         | 9 240 654 |
| 8 Glass black, buttons matte chrome  | 9 240 655 |
| 9 Glass black, buttons bright chrome | 9 240 656 |
| 10 Glass black, buttons black        | 9 240 657 |
| 11 Glass black, buttons gold         | 9 240 658 |




- TECEloop urinal push plates glass**  
Urinal push plates made of glass for TECE pressure flushing valve housing. Including flush valve cartridge.  
Dimensions 104 x 124 x 11 mm
- |                                      |           |
|--------------------------------------|-----------|
| 12 Glass white, button white         | 9 242 650 |
| 13 Glass white, button matte chrome  | 9 242 659 |
| 14 Glass white, button bright chrome | 9 242 660 |
| 15 Glass green, button white         | 9 242 651 |
| 16 Glass green, button matte chrome  | 9 242 652 |
| 17 Glass green, button bright chrome | 9 242 653 |
| 18 Glass black, button white         | 9 242 654 |
| 19 Glass black, button matte chrome  | 9 242 655 |
| 20 Glass black, button bright chrome | 9 242 656 |
| 21 Glass black, button black         | 9 242 657 |
| 22 Glass black, button gold          | 9 242 658 |

The option of flush-mounted installation is an outstanding feature of the TECEloop glass push plates for toilets and urinals.








One hundred and four possible combinations.

The TECEloop modular system consists of a standard range of 8 buttons and 13 covers. This produces a total of 104 different possible combinations.

Sophisticated technology opens up the option of flush-mounted installation of all the TECEloop glass push plates – easily and precisely with the appropriate installation frame. This is depth-adjustable for wall coverings from 5 to 18 mm, up to 36 mm even with an upgrade set.





TECEloop buttons

- |                                   |           |
|-----------------------------------|-----------|
| 1 Buttons white                   | 9 240 663 |
| 2 Buttons white antibac           | 9 240 664 |
| 3 Buttons matte chrome            | 9 240 665 |
| 4 Buttons bright chrome           | 9 240 666 |
| 5 Buttons black                   | 9 240 667 |
| 6 Buttons gold                    | 9 240 668 |
| 7 Buttons brushed stainless steel | 9 240 669 |
| 8 Buttons pergamon grey           | 9 240 684 |

The combination of buttons and push plates from the TECEloop modular system has to be ordered separately.



Photo: Alape, glass ruby red


The highlight: Some of the glass covers are colour coordinated with the products from Alape, Emco and Burgbad.  
So the bathroom planner always has the right toilet push plate at hand.

TECEloop covers

- |                                      |           |
|--------------------------------------|-----------|
| 9 Glass cover mint green             | 9 240 670 |
| 10 Glass cover white, Emco           | 9 240 671 |
| 11 Glass cover asis green, Emco      | 9 240 672 |
| 12 Glass cover orange                | 9 240 673 |
| 13 Glass cover black, Alape and Emco | 9 240 674 |
| 14 Cover slate slab                  | 9 240 675 |
| 15 Glass cover silvery-grey, Alape   | 9 240 676 |
| 16 Glass cover blue-grey             | 9 240 677 |
| 17 Glass cover coffee brown          | 9 240 678 |
| 18 Glass cover ruby red, Alape       | 9 240 679 |
| 19 Glass cover ivory, Alape          | 9 240 680 |
| 20 Glass cover grass green, Burgbad  | 9 240 685 |
| 21 Mirror cover                      | 9 240 683 |

Accessories

Installation frame for flush-mounted installation of TECEloop, Order No. 9 240 649 (without illustration)



Internet configurator for TECE push plates


Visit us on our website at [www.tece.com](http://www.tece.com). Here you can use our configurator to easily and conveniently look for the right push plate for your personal bathroom.

One design –  
for toilet and urinal.

TECEloop plastic



1/3




2



6



4



5

**TECEloop toilet push plates plastic**

Toilet push plate made of plastic.  
Dimensions 216 x 145 x 6 mm

1 White	9 240 600
2 White, buttons bright chrome	9 240 627
3 White antibac	9 240 640
4 Pergamon grey	9 240 601
5 Matte chrome	9 240 625
6 Bright chrome	9 240 626



7/9



8



10



11



12

**TECEloop urinal push plates plastic**

Urinal push plates made of plastic.  
Dimensions 100 x 120 x 6 mm

7 White	9 242 600
8 White, button bright chrome	9 242 627
9 White antibac	9 242 640
10 Pergamon grey	9 242 601
11 Matte chrome	9 242 625
12 Bright chrome	9 242 626

For people who sometimes like  
to hit the buttons.


**TECE**planus stainless steel



The TECEplanus push plate made of stainless steel is robust and especially vandalproof. A concealed screw further protects it against theft.

So they are particularly suitable for public sanitary areas, restaurants or hotels. Their especially compact dimensions and elegant design harmonise with any mood.





TECEplanus toilet push plates

Toilet push plate made of stainless steel for TECE cisterns for front or top actuation. Rubber buffered stop on both sides. Dimensions 214 x 144 x 15 mm

Toilet push plates dual flush system

1 White, silk-mat	9 240 322
2 White shiny	9 240 324
3 Brushed stainless steel	9 240 320
4 Bright chrome	9 240 321

Toilet push plates single flush system

5 White, silk-mat	9 240 312
6 White shiny	9 240 314
7 Brushed stainless steel	9 240 310
8 Bright chrome	9 240 311

Toilet electronics with IR sensor, 6 V battery

9 White shiny	9 240 361
10 Brushed stainless steel	9 240 350
11 Bright chrome	9 240 351

Toilet electronics with IR sensor, 230 /12 V mains

12 White shiny	9 240 362
13 Brushed stainless steel	9 240 352
14 Bright chrome	9 240 353



\* Not compatible with 8 cm cistern

TECEplanus urinal push plates

Urinal push plate made of stainless steel for TECE flushing valve housing. Including flush valve cartridge. Dimensions 100 x 120 x 15 mm

Urinal push plates

15 White, silk-mat	9 242 312
16 White shiny	9 242 314
17 Brushed stainless steel	9 242 310
18 Bright chrome	9 242 311

Urinal electronics with IR sensor, 6 V battery

19 White, silk-mat	9 242 354
20 White shiny	9 242 356
21 Brushed stainless steel	9 242 350
22 Bright chrome	9 242 351

Urinal electronics with IR sensor, 230 /12 V mains

23 White, silk-mat	9 242 355
24 White shiny	9 242 357
25 Brushed stainless steel	9 242 352
26 Bright chrome	9 242 353

Toilet electronics

TECEplanus toilet electronics with IR sensor – contactless automatic flushing ensures reliable recognition of standing or sitting persons. Manual actuation is also possible. The power supply is from a battery or the mains.

- Operation via a 6 V battery or via an external 230 Volt/12 Volt transformer
- IR-sensor actuation or remote actuation via radio or cable




TECE urinal push plates with flush valve technology from TECE

- Same flush valve housing for the use of manual or electronic cartridges
- Different flushing volumes can be set
- Plastic piston seal
- A universal module for electronic and manual actuation
- Simple to assemble cartridge and electronics despite the small push plate



## The classic from TECE.

**TECE**ambia plastic




TECEambia push plates, with their single or dual flush system, are the universal plastic standard. Available in numerous variations, their compact dimensions fit harmoniously in every bathroom environment. Double-sided rubber buffers reliably prevent rattling noises.


In the antibacterial version of TECEambia, the growth of germs on the surface is inhibited by silver ions – ideal for public sanitary areas.







- All plates can be used for front or top actuation
- The timeless neutral shape is suitable for every bathroom mood
- Trendy small dimensions
- Double-sided rubber buffers prevent unpleasant rattling noises
- Robust actuation mechanism



**TECEambia toilet push plates**

Toilet push plate made of glass for TECE cisterns for front or top actuation.  
Stop buffered with rubber on both sides.  
Dimensions 214 x 152 x 22 mm

**Toilet push plates for dual flush system**

1 White	9 240 200
2 White antibac	9 240 240
3 Pergamon grey	9 240 201
4 Matte chrome	9 240 225
5 Bright chrome	9 240 226
6 Frame matte chrome, buttons bright chrome	9 240 253
7 Frame bright chrome, buttons matte chrome	9 240 254

**Toilet push plates for single flush system**

8 White	9 240 100
9 White antibac	9 240 140
10 Pergamon grey	9 240 101
11 Matte chrome	9 240 125
12 Bright chrome	9 240 126

**TECEambia urinal push plates**


Urinal push plate made of plastic for TECE pressure flushing valve housing. Including flush valve cartridge.  
Dimensions 100 x 120 x 15 mm

**Urinal push plates**

13 White	9 242 100
14 White antibac	9 242 140
15 Pergamon grey	9 242 101
16 Bright chrome	9 242 126



Good design – also in the standard bathroom.




- TECEbase toilet push plates for dual flush system**  
 Toilet push plate made of glass for front or top actuation.  
 Dimensions 214 x 145 x 18 mm
- |                 |           |
|-----------------|-----------|
| 1 White         | 9 240 700 |
| 2 Bright chrome | 9 240 701 |
| 3 Matte chrome  | 9 240 702 |

The standard toilet push plate in square design.

Use of this new plastic push plate is sure to be of particular interest in standard areas and facilities. TECEbase has a dual flush function.

The narrow button actuates a reduced flush, the wide button a full flush. Like all toilet push plates from TECE, its dimensions are relatively small and it fits the TECE actuation concept for all TECE cistern models.


Don't press – turn ...



Toilet flush handles

TECE flushing technology – the flush handle with a rotary mechanism. Why should attractive bathroom design stop when it comes to the toilet push plate?

The rotary mechanism developed by TECE makes it possible to match toilet push plates with the design of high-quality handle series for the first time. These are offered by renowned manufacturers.



All flush handles operate like a superior bathroom fitting with high-quality ease of operation – **don't press – turn**. For the first time, it is possible to operate the dual flush function using a single control element.

Toilet flush handles are offered from a range of manufacturers to match the TECE universal cistern.

The flush handle matches the design of the respective handle series.



Company: Dornbracht  
applicable for all series



Company: Kludi  
Series: JOOP




Company: Kludi  
Series: Amphora



Firma: Kludi  
Serie: Kido



Company: Jado  
Series: Lighthouse



Company: Jado  
Series: Glance, Geometry,  
IQ



Company: Oras  
Series: Il Bagno Alessi  
by Oras



Company:  
International Bathrooms  
Series: St. James  
Collection

TECE flush handle partners:







INTERNATIONAL  
BATHROOMS®  
WWW.BATHROOMS.NL

# Insert chute for cleaning tabs – more hygiene and freshness for your toilet.



The insert chute for retrofitting to all TECE cisterns (except 8 cm), suitable for all TECE push plates and the TECElux toilet terminal.



TECESquare



TECEloop



TECEplanus



TECEambia



TECEbase

## Insert chute for cleaning tabs

### Hygiene at the drop of a tab

Cleaning tabs ensure your toilet smells fresh and reduces the risk of limescale building up on the toilet ceramics. Thanks to the insert chute hanging bowl cleaner and toilet cleaners out of a bottle are now a thing of the past. The insert chute is a real alternative, in particular for rimless toilets – simply because it is not possible to attach a cage. It is possible to equip all TECE push plates and the TECElux toilet terminal with an insert chute.



- 1. TECE cistern
- 2. Splash guard
- 3. Insert chute
- 4. Container for cleaning tab

The insert chute is easy to use in just a few simple steps.



To remove the push plate, simply grasp behind the plate, then pull and swivel the plate downwards.



The bold red flap covering the insert chute is now clearly visible.



Open the flap and drop in a compact tab.




It falls into the container inside the cistern, from where it releases its hygienic cleaning agents into the water.



The 8 cm concealed cistern

The 8 cm concealed cistern is extremely flat and thus ideal for installation in thin masonry. The construction is based on German know-how and is the product of many years of experience of TECE in the field of flushing technology. For installation the cistern is delivered as a TECEprofil module for dry-wall construction or TECEbox for brick-wall construction.

One argument alone speaks in favour of TECE cistern:  
The wide range of push plates.



One of many: TECEsquare push plates.



Installation variants

TECEbox brick wall cisterns and TECEprofil module

The 8 cm toilet module range comprises four mounting variants for all conventional mounting situations. All these modules use the 8 cm cistern from TECE. It is pre-mounted and sealed, has a 9.5 litre flushing volume, is insulated against condensate water and fitted with a water-saving dual flush system (3 litres reduced flushing volume – 4.5/6/9 litres full flushing volume). The cistern is compatible with all TECE push plates (TECEsquare, TECEloop, TECEplanus (without toilet electronics), TECEambia, TECEbase and toilet flush handles) and can be used as single flush or dual flush cistern depending on the push plate.



Brick-wall cistern  
TECEbox basic  
for floor-standing toilets




Brick-wall cistern  
TECEbox  
for wall-hung toilets



Brick-wall cistern  
TECEbox plus  
for wall-hung toilets,  
sound-suppressed



TECEprofil toilet module  
to be mounted in metal  
and wooden frame walls  
or in front of solid walls



TECEsquare/  
TECEloop glass

TECEsquare  
metal

**! A minimum finish or facing thickness of 3 cm is needed for the flush mounting of TECEsquare glass and TECEloop glass and for the mounting of TECEsquare metal!**

TECE 8 cm modules – possible mounting situations



Installation in a  
brick wall



Installation in a  
pre-wall installation




Individual module instal-  
lation in front of a brick  
wall




Mounting in a metal  
post-and-beam C profile  
wall




TECEsquare




TECEloop




TECEplanus




TECEambia




TECEbase



Toilet flush handle




TECEplanus with IR-Sensor  
(Not compatible with 8 cm cistern)



The right frame for flush-mounted installation.

Flush-mounted installation of TECEsquare and TECEloop glass

With a toilet and urinal push plate that is fitted completely level with the wall, TECEloop and TECEsquare offer the ultimate in technical perfection and structural fascination. Its depth-adjustable installation frame ensures that it is as easy as ever possible to install. The high-quality glass surface fits elegantly and unobtrusively into the bathroom structure.




Toilet installation frame for flush-mounted installation of TECEsquare and TECEloop glass push plates or for mounting TECEsquare metal

The toilet installation frame can be used in combination with the TECEprofil modules for dry-wall construction. In a brick curtain wall, flush-mounted installation is achieved with the TECEbox brick-wall modules and with brick-wall protection for flush-mounted installation (Order No. 9 030 029).

Toilet installation frame

Depth-adjustable for wall coverings from 5 to 18 mm (up to 36 mm with upgrade set). The different frame colours allow individual modification in line with the cover or wall.

White	9 240 646
Black	9 240 647
Gold-plated	9 240 648
Bright chrome	9 240 649



Urinal installation frame

For flush-mounted installation of the TECEloop glass push plates. Installation frame depth-adjustable for wall coverings from 5 to 18 mm (up to 36 mm with upgrade set).  
Note: Only for dry-wall construction.

White	9 242 646
Black	9 242 647
Gold-plated	9 242 648
Bright chrome	9 242 649



The technology behind ...

The cistern for all toilet push plates from TECE

For years, the TECE cisterns have been proven millions of times in practice. The newly developed drain valve inside the cistern was awarded the Design Plus prize for sustainable water use. It permits a real 4.5 litre short flush even with the use of dual flush system. For installation, the cistern is delivered as a TECEprofil module for dry-wall construction or as a TECEbox for brick-wall construction.

Modules for brick and dry wall construction - for toilet and urinal.

The modules shown here represent just a small selection of the entire TECE range. The TECEprofil range offers modules with various assembly heights and special modules for all application areas, e.g. for odour extraction or for installation of barrier-free toilets. Modules for installing washlets from TOTO are new.



TECEprofil toilet module with TECE cistern, assembly height 1120 mm, for installation in a TECEprofil curtain wall, front actuation.


TECEprofil toilet module with TECE cistern, assembly height 820 mm, for installation in a TECEprofil curtain wall, front and top actuation.

TECEprofil urinal module with TECE flush valve housing, for installation in a TECEprofil curtain wall, to take manual and electronic actuation systems.

TECEbox brick-wall construction cistern, assembly height 1060 mm, for installation in a bricked curtain wall in front of a solid wall front actuation.



There's a system behind it – flushing technology from TECE.



Toilet module

**TECE cisterns and TECE push plates are always compatible with one another!**  
Selection of the right toilet push plate is really not that easy with some cistern manufacturers. Even if the push plate and cistern come from the same manufacturer, it certainly still does not mean that they fit together. It's different with TECE – here the selection of the right toilet push plate is no problem.

Flushing technology with a system – made by TECE.

All toilet push plates from TECE are also suitable for top actuation.

**Internet configurator for TECE push plates**

Visit us on our website at [www.tece.com](http://www.tece.com). Here you can use our configurator to easily and conveniently look for the right push plate for your personal bathroom.



**TECE GmbH**  
International Business  
Phone +49 (0) 25 72 / 928 999  
[international-business@tece.de](mailto:international-business@tece.de)  
[www.tece.com](http://www.tece.com)



DS030 002 12 e